

FIG. 1




FIG. 2




FIG. 3





FIG. 4





FIG. 5




Figure 1 is a graph showing the binding of 125 I-IL-1 to IL-1R. The y-axis is labeled 'RU' (Radioactivity Units) and ranges from 0 to 1000. The x-axis is labeled 'Conc. (μ g/ml)' and ranges from 0 to 100. The curve shows a rapid increase in RU with increasing concentration, reaching a plateau around 1000 RU at 100 μ g/ml. Data points are plotted as open circles.

FIG. 7

Endotoxin structure	<i>E. coli</i> strain	p-12 bond
$\begin{array}{c} \text{KDO-LipidA} \\ \\ \text{KDO} \\ \\ \text{KDO} \end{array}$	D21f2	-
$\begin{array}{c} \text{Hep-Hep-KDO-LipidA} \\ \quad \\ \text{Hep} \quad \text{KDO} \\ \\ \text{KDO} \end{array}$	D21f1	+
$\begin{array}{c} \text{Glc-Hep-Hep-KDO-LipidA} \\ \quad \\ \text{Hep} \quad \text{KDO} \\ \\ \text{KDO} \end{array}$	D21e8	+
$\begin{array}{c} \text{Glc-Hep-Hep-KDO-LipidA} \\ \quad \quad \\ \text{Gal} \quad \text{Hep} \quad \text{KDO} \\ \\ \text{KDO} \end{array}$	D21e7	+
$\begin{array}{c} \text{GlcN-Glc-Glc-Glc-Glc-Hep-Hep-KDO-LipidA} \\ \quad \quad \\ \text{Gal} \quad \text{Hep} \quad \text{KDO} \\ \\ \text{KDO} \end{array}$	D21	+

pH	K_d
6.0	3.09 E-07
7.5	6.85 E-08
8.0	5.86 E-08
8.5	7.86 E-08
9.0	3.29 E-08
10.0	1.55 E-07

Fig. 8




FIG. 9

